

SCHOLARLY COMMONS

National Training Aircraft Symposium (NTAS)

2016 - Pilot Supply, Regulatory Compliance, & Training Equipment

Mar 15th, 9:45 AM

Cirrus Aircraft Update

John Razmus

Director Fleet Sales, Cirrus

Follow this and additional works at: https://commons.erau.edu/ntas

Razmus, John, "Cirrus Aircraft Update" (2016). *National Training Aircraft Symposium (NTAS)*. 24. https://commons.erau.edu/ntas/2016/presentations/24

This Event is brought to you for free and open access by the Conferences at Scholarly Commons. It has been accepted for inclusion in National Training Aircraft Symposium (NTAS) by an authorized administrator of Scholarly Commons. For more information, please contact commons@erau.edu.

NTAS 2016 Cirrus Aircraft Update

John Razmus Dir. Fleet Sales Cirrus Aircraft 3/16/16



Agenda

- Update on the Piston Fleet
- New innovation in flight training & operations
- Update on the SF50 Vision jet



Cirrus Standard Across the Fleet

- Cirrus Perspective by Garmin Cockpit
- GFC 700 Autopilot
- Dual Electrical Sys
- Dual AHRS
- Electronic Stability & Protection (ESP)
- Blue "level" button
- Autopilot Stall Protection
- Synthetic Vision Technology
- Dual Com/Nav/WAAS GPS



Avionics: 2016 ADS-B Capabilities

CMI - IO-360-ES, 200 HP Max Op Alt – 17,500 Max Cruise – 155 KTAS



ADS-B Out: Standard GTX 33ES

ADS-B In: Option GDL88

Connectivity: Option Flight Steam 210

CMI – IO-550-N, 310 HP Max Op Alt – 17,500 Max Cruise – 183 KTAS



ADS-B Out: Standard GTX 33ES

ADS-B In: Standard GDL88

Connectivity: Option Flight Steam 210

CMI – IO-550-K Turbo, 315 HP Max Op Alt – 25,000 Max Cruise – 213 KTAS



ADS-B Out: Standard GTX 33ES

ADS-B In: Option GDL88

Connectivity: Option Flight Steam 210



Avionics: Flight Stream 210








Innovations in Training: Cirrus Approach






Standardized Flight Operations







A Quick Demo





SF50 Vision Jet Update





Cirrus is Building Jets!

Type Certification: 1H 2016








Standardized Cockpit





Least we Forget Cirrus Safety



60 CAPS save events

120 lives saved

0 lives lost when deployed within designed parameters

Many successful deployments outside parameters



* As of 9 January 2016





INNOVATION

Think Cirrus for Innovation in Safety

Innovation in Next-Gen Technology

Innovation in Training

Thank You



Is my Cirrus ADS-B 2020 Compliant?

Avionics	Current Transponder	2020 Compliant ADS-B Out Under 18,000 MSL (USA Only)	ADS-B Out Requirements Worldwide - All Altitudes	FAA Wx/Traffic ADS-B In (Optional)
Pre-Cirrus Perspective without WAAS GPS 1999-2008	GTX 330	Install UAT Transceiver OR follow steps for worldwide compliance.	Install WAAS GPS and upgrade current transponder to GTX 330ES.	Install UAT/ADS-B receiver & have a compatible display
	Other		Install WAAS GPS and replace current transponder to GTX 330ES.	
Pre-Cirrus Perspective with WAAS GPS 1999-2008	GTX 330	Install UAT Transceiver OR follow steps for worldwide compliance.	Upgrade current transponder to GTX 330ES.	Install UAT/ADS-B receiver & have a compatible display
	Other		Replace current transponder with GTX 330ES.	
Cirrus Perspective 2008-mid 2010	GTX 32	Install GDL 88 OR follow steps for worldwide compliance.	Replace current transponder with GTX 33ES.	Install GDL 88
	GTX 33		Upgrade current transponder to GTX 33ES.	
Cirrus Perspective mid 2010-Presen1 SR20 2058 & Subsequent SR22 3665 & Subsequent SR22T 0004 & Subsequent	GTX 33ES	Already compliant. No action required.	Already compliant. No action required.	Install GDL 88

^{*} Please check with your Cirrus Sales Representative for the latest ADS-B information and certification timelines.

